

作成承認印

配布許可印



AF-S DXZoom-Nikkor ED 12-24mm f/4G IF

PARTS LIST

修理部品表


**Nikon** | NIKON CORPORATION  
Tokyo, Japan


Recycled paper

再生紙を使用しています

Copyright © 2003 by Nikon Corporation.  
All Rights Reserved.

無断転載を禁ず !!





## Parts List

4F-S DX ED 12-24/4G IF

JAA78451-R.3596.A

| Part Number   | Part Code     | 名 称            | Part Name               | Pcs,<br>/Unit | fig<br>No. | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks                    |
|---------------|---------------|----------------|-------------------------|---------------|------------|---------------|-----------------------|----------------|----------------------------|
| * 1B002-276   | (1B002-276)   | 距離窓部組          | FOCUSING WINDOW UNIT    | 1             | 2          |               | ○                     | 1              |                            |
| 1B002-328     | (1B002-328)   | ズームブラシ部組       | ZOOM BRUSH UNIT         | 1             | 1          |               | ○                     | 5              | △RP07007 OLD               |
| △ 1B002-328-1 | (1B002-328-1) | ズームブラシ部組       | ZOOM BRUSH UNIT         | 1             | 1          |               | ○                     | 5              | RP07007 NEW                |
| 1B002-329     | (1B002-329)   | 羽根部組 x7        | APERTURE BLADE UNIT     | 7             | 1          |               | ○                     | 10             |                            |
| 1B002-330     | (1B002-330)   | カム環部組          | CAM RING UNIT           | 1             | 1          |               | ○                     | 1              |                            |
| * 1B060-766   | (1B060-766)   | MR部組           | MR UNIT                 | 1             | 2          |               | ○                     | 1              | RP06110<br>NoN RoHS        |
| 1B060-769     | (1B060-769)   | 接点FPC部組        | CONTACT FPC UNIT        | 1             | 2          |               | ○                     | 1              | RP06110<br>NoN RoHS        |
| 1B060-775     | (1B060-775)   | 接点FPC          | CONTACT FPC             | 1             | 2          |               | ○                     | 1              |                            |
| 1B060-798     | (1B060-798)   | ズームFPC部組       | ZOOM FPC UNIT           | 1             | 2          | 1C999-193     | ○△                    | 1              | RP06110<br>NoN RoHS        |
| 1B100-878     | (1B100-878)   | G4レンズ 室部組      | G4 LENS HOUSING UNIT    | 1             | 1          |               | ○                     | 1              | RP0636 OLD                 |
| 1B100-878-2   | (1B100-878-2) | G4レンズ 室部組      | G4 LENS HOUSING UNIT    | 1             | 1          |               | ○                     | 1              | RP0636 NEW                 |
| 1B100-879     | (1B100-879)   | G5. G6レンズ 室部組  | G5.6 LENS HOUSING UNIT  | 1             | 1          |               | ○                     | 1              |                            |
| * 1C999-168   | (1C999-168)   | 磁気テープ 貼り付け環 部組 | MAGNETIC TAPE RING UNIT | 1             | 2          | 1C999-197-1   | ○△                    | 1              |                            |
| 1C999-193     | (1C999-193)   | カム環部組          | CAM RING UNIT           | 1             | 2          |               | ○                     | 1              | RP06110<br>NoN RoHS        |
| 1C999-194     | (1C999-194)   | フィルター環部組       | FILTER RING UNIT        | 1             | 1          |               | ○                     | 1              |                            |
| 1C999-195     | (1C999-195)   | G7-G11レンズ 室部組  | G7-11 LENS HOUSING UNIT | 1             | 1          |               | ○                     | 1              | RP06118 OLD                |
| 1C999-195-1   | (1C999-195-1) | G7-G11レンズ 室部組  | G7-11 LENS HOUSING UNIT | 1             | 1          |               | ○                     | 1              | RP06118 NEW                |
| 1C999-196     | (1C999-196)   | M-Aスイッチ部組      | M-A SWITCH UNIT         | 1             | 2          |               | ○                     | 1              |                            |
| 1C999-197-1   | (1C999-197-1) | SWM部組          | SWM UNIT                | 1             | 2          |               | ○                     | 1              | RP0531<br>RP06110 NoN RoHS |
| 1G021-035     | (1G021-035)   | G2.3 レンズ       | G2.3 LENS UNIT          | 1             | 1          |               | ○                     | 1              |                            |
| 1G312-003     | (1G312-003)   | G1 レンズ         | G1 LENS ELEMENT         | 1             | 1          |               | ○                     | 1              |                            |

## Parts List

AF-S DX ED 12-24/4G IF

JAA78451-R.3596.A

| Part Number   | Part Code     | 名 称                   | Part Name                     | Pcs,<br>/Unit | fig<br>No. | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks      |
|---------------|---------------|-----------------------|-------------------------------|---------------|------------|---------------|-----------------------|----------------|--------------|
| 1G316-002     | (1G316-002)   | G11 レンズ*              | G11 LENS ELEMENT              | 1             | 1          | 1C999-195     | ○△                    | 1              | △RP06118 OLD |
| △ 1G316-002-1 | (1G316-002-1) | G11 レンズ*              | G11 LENS ELEMENT              | 1             | 1          | 1C999-195-1   | ○△                    | 1              | RP06118 NEW  |
| * 1K010-114   | (1K010-114)   | SCREW                 | SCREW                         | 4             | 2          |               | ○                     | 5              |              |
| * 1K010-535   | (1K010-535)   | SCREW                 | SCREW                         | 1             | 2          |               | ○                     | 5              |              |
| 1K014-024     | (1K014-024)   | 制限ビス                  | SCREW                         | 1             | 1          |               | ○                     | 5              |              |
| 1K014-025     | (1K014-025)   | ズーム連動ビス               | SCREW                         | 1             | 1          |               | ○                     | 5              |              |
| * 1K050-584   | (1K050-584)   | WASHER t=0.05         | WASHER t=0.05                 | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-585   | (1K050-585)   | WASHER t=0.06         | WASHER t=0.06                 | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-586   | (1K050-586)   | WASHER t=0.07         | WASHER t=0.07                 | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-587   | (1K050-587)   | WASHER t=0.08         | WASHER t=0.08                 | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-588   | (1K050-588)   | WASHER t=0.09         | WASHER t=0.09                 | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-589   | (1K050-589)   | WASHER t=0.1          | WASHER t=0.1                  | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-590   | (1K050-590)   | WASHER t=0.2          | WASHER t=0.2                  | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-591   | (1K050-591)   | WASHER t=0.3          | WASHER t=0.3                  | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-592   | (1K050-592)   | WASHER t=0.5          | WASHER t=0.5                  | 1             | 2          |               | ○                     | 5              |              |
| * 1K050-696   | (1K050-696)   | WASHER                | WASHER                        | 1             | 1          |               | ○                     | 5              |              |
| * 1K063-007-1 | (1K063-007-1) | 止め輪                   | RETAINING RING                | 1             | 2          |               | ○                     | 5              |              |
| * 1K087-537   | (1K087-537)   | 原産国シール(MADE IN JAPAN) | MADE IN STIKER(MADE IN JAPAN) | 1             | 2          |               | ○                     | 5              |              |

## Parts List

AF-S DX ED 12-24/4G IF

JAA78451-R.3596.A

| Part Number | Part Code   | 名 称               | Part Name           | Pcs,<br>/Unit | fig<br>No. | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks |
|-------------|-------------|-------------------|---------------------|---------------|------------|---------------|-----------------------|----------------|---------|
| 1K087-578   | (1K087-578) | 銘板                | NAME PLATE          | 1             | 2          |               | ○                     | 5              |         |
| 1K110-626   | (1K110-626) | ゴムリング             | RUBBER RING         | 1             | 1          |               | ○                     | 5              |         |
| 1K110-627   | (1K110-627) | デッリローラー x5 D=3.98 | GUIDE ROLLER D=3.98 | 0-5           | 1.2        |               | ○                     | 10             |         |
| 1K110-628   | (1K110-628) | デッリローラー x5 D=3.99 | GUIDE ROLLER D=3.99 | 0-5           | 1.2        |               | ○                     | 10             |         |
| 1K110-629   | (1K110-629) | デッリローラー x5 D=4.00 | GUIDE ROLLER D=4.00 | 0-5           | 1.2        |               | ○                     | 10             |         |
| 1K110-630   | (1K110-630) | デッリローラー x5 D=4.01 | GUIDE ROLLER D=4.01 | 0-5           | 1.2        |               | ○                     | 10             |         |
| 1K110-632   | (1K110-632) | デッリローラー x3 D=3.98 | GUIDE ROLLER D=3.98 | 0-3           | 1          |               | ○                     | 10             |         |
| 1K110-633   | (1K110-633) | デッリローラー x3 D=3.99 | GUIDE ROLLER D=3.99 | 0-3           | 1          |               | ○                     | 10             |         |
| 1K110-634   | (1K110-634) | デッリローラー x3 D=4.00 | GUIDE ROLLER D=4.00 | 0-3           | 1          |               | ○                     | 10             |         |
| 1K110-635   | (1K110-635) | デッリローラー x3 D=4.01 | GUIDE ROLLER D=4.01 | 0-3           | 1          |               | ○                     | 10             |         |
| 1K110-636   | (1K110-636) | デッリローラー x2 D=3.98 | GUIDE ROLLER D=3.98 | 0-2           | 2          |               | ○                     | 10             |         |
| 1K110-637   | (1K110-637) | デッリローラー x2 D=3.99 | GUIDE ROLLER D=3.99 | 0-2           | 2          |               | ○                     | 10             |         |
| 1K110-638   | (1K110-638) | デッリローラー x2 D=4.00 | GUIDE ROLLER D=4.00 | 0-2           | 2          |               | ○                     | 10             |         |
| 1K110-639   | (1K110-639) | デッリローラー x2 D=4.01 | GUIDE ROLLER D=4.01 | 0-2           | 2          |               | ○                     | 10             |         |
| 1K110-640   | (1K110-640) | フラインセム            | FLOCK PAPER         | 1             | 1          |               | ○                     | 5              |         |
| 1K110-641   | (1K110-641) | ホコ隠し              | COVER               | 1             | 1          |               | ○                     | 5              |         |
| 1K110-642   | (1K110-642) | フラインセム            | FLOCK PAPER         | 1             | 1          |               | ○                     | 10             |         |
|             |             |                   |                     |               |            |               |                       |                |         |
|             |             |                   |                     |               |            |               |                       |                |         |
|             |             |                   |                     |               |            |               |                       |                |         |
|             |             |                   |                     |               |            |               |                       |                |         |
|             |             |                   |                     |               |            |               |                       |                |         |

## Parts List

AF-S DX ED 12-24/4G IF

JAA78451-R.3596.A

| Part Number | Part Code   | 名 称                             | Part Name             | Pcs,<br>/Unit | fig<br>No. | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks |
|-------------|-------------|---------------------------------|-----------------------|---------------|------------|---------------|-----------------------|----------------|---------|
| 1K110-644   | (1K110-644) | デ <sup>ラ</sup> リンローラー x3 D=3.98 | GUIDE ROLLER D=3.98   | 0-3           | 1          |               | ○                     | 10             |         |
| 1K110-645   | (1K110-645) | デ <sup>ラ</sup> リンローラー x3 D=3.99 | GUIDE ROLLER D=3.99   | 0-3           | 1          |               | ○                     | 10             |         |
| 1K110-646   | (1K110-646) | デ <sup>ラ</sup> リンローラー x3 D=4.00 | GUIDE ROLLER D=4.00   | 0-3           | 1          |               | ○                     | 10             |         |
| 1K110-647   | (1K110-647) | デ <sup>ラ</sup> リンローラー x3 D=4.01 | GUIDE ROLLER D=4.01   | 0-3           | 1          |               | ○                     | 10             |         |
| * 1K119-550 | (1K119-550) | フラインセーム                         | FLOCK PAPER           | 1             | 2          |               | ○                     | 5              |         |
| * 1K119-551 | (1K119-551) | フラインセーム                         | FLOCK PAPER           | 1             | 2          |               | ○                     | 5              |         |
| * 1K120-012 | (1K120-012) | 制限ピ <sup>ス</sup> x6             | SCREW                 | 6             | 2          |               | ○                     | 10             |         |
| * 1K120-061 | (1K120-061) | SCREW x6                        | SCREW                 | 6             | 2          |               | ○                     | 10             |         |
| * 1K120-286 | (1K120-286) | SCREW x2                        | SCREW                 | 2             | 2          |               | ○                     | 10             |         |
| * 1K120-481 | (1K120-481) | SCREW x3                        | SCREW                 | 3             | 2          |               | ○                     | 10             |         |
| * 1K123-197 | (1K123-197) | SCREW x2                        | SCREW                 | 2             | 2          |               | ○                     | 10             |         |
| * 1K130-679 | (1K130-679) | SCREW                           | SCREW                 | 1             | 2          |               | ○                     | 5              |         |
| 1K130-702   | (1K130-702) | ハ <sup>ネ</sup> 掛けピ <sup>ス</sup> | SCREW                 | 1             | 1          |               | ○                     | 5              |         |
| 1K130-703   | (1K130-703) | ローラーピ <sup>ス</sup> x1           | GUIDE ROLLER SCREW    | 1             | 2          |               | ○                     | 5              |         |
| 1K130-704   | (1K130-704) | ローラーピ <sup>ス</sup> x4           | GUIDE ROLLER SCREW x4 | 4             | 1.2        |               | ○                     | 10             |         |
| 1K130-705   | (1K130-705) | ローラーピ <sup>ス</sup> x3           | GUIDE ROLLER SCREW x3 | 3             | 1.2        |               | ○                     | 10             |         |
| 1K130-706   | (1K130-706) | ローラーピ <sup>ス</sup> x2           | GUIDE ROLLER SCREW    | 2             | 2          |               | ○                     | 5              |         |
|             |             |                                 |                       |               |            |               |                       |                |         |
|             |             |                                 |                       |               |            |               |                       |                |         |
|             |             |                                 |                       |               |            |               |                       |                |         |
|             |             |                                 |                       |               |            |               |                       |                |         |

## Parts List

AF-S DX ED 12-24/4G IF

JAA78451-R.3596.A

| Part Number            | Part Code              | 名 称                          | Part Name                 | Pcs,<br>/Unit  | fig<br>No.   | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks |
|------------------------|------------------------|------------------------------|---------------------------|----------------|--------------|---------------|-----------------------|----------------|---------|
| * 1K133-006            | (1K133-006)            | パネ掛けビス                       | SCREW                     | 1              | 2            |               | ○                     | 5              |         |
| * 1K160-360            | (1K160-360)            | WASHER t=0.5                 | WASHER t=0.5              | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-361            | (1K160-361)            | WASHER t=0.4                 | WASHER t=0.4              | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-362            | (1K160-362)            | WASHER t=0.3                 | WASHER t=0.3              | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-363            | (1K160-363)            | WASHER t=0.2                 | WASHER t=0.2              | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-364            | (1K160-364)            | WASHER t=0.1                 | WASHER t=0.1              | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-365            | (1K160-365)            | WASHER t=0.09                | WASHER t=0.09             | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-366            | (1K160-366)            | WASHER t=0.08                | WASHER t=0.08             | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-367            | (1K160-367)            | WASHER t=0.07                | WASHER t=0.07             | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-368            | (1K160-368)            | WASHER t=0.06                | WASHER t=0.06             | 1              | 1            |               | ○                     | 5              |         |
| * 1K160-369            | (1K160-369)            | WASHER t=0.05                | WASHER t=0.05             | 1              | 1            |               | ○                     | 5              |         |
| <del>* 1K162-011</del> | <del>(1K162-011)</del> | <del>WASHER t=0.038 x4</del> | <del>WASHER t=0.038</del> | <del>0-4</del> | <del>1</del> |               | <del>○</del>          | <del>5</del>   |         |
| * 1K225-211            | (1K225-211)            | 引っ張りパネ x2                    | SPRING                    | 2              | 1            |               | ○                     | 5              |         |
| * 1K225-263            | (1K225-263)            | 引っ張りパネ                       | SPRING                    | 1              | 2            |               | ○                     | 5              |         |
| * 1K241-379            | (1K241-379)            | MR加圧板                        | MR PRESS PLATE            | 1              | 2            |               | ○                     | 5              |         |
| 1K241-438              | (1K241-438)            | 接点ピン x10                     | CONTACT PIN               | 10             | 2            |               | ○                     | 10             |         |
| 1K310-138              | (1K310-138)            | 絞り連動レバー                      | APERTURE COUPLING LEVER   | 1              | 2            |               | ○                     | 5              |         |
| △ 1K162-011            | (1K162-011)            | WASHER t=0.038 x2            | WASHER t=0.038            | 2              | 1            |               | ○                     | 5              |         |

## Parts List

4F-S DX ED 12-24/4G IF

JAA78451-R.3596.A

| Part Number                | Part Code                | 名 称             | Part Name               | Pcs,<br>/Unit | fig<br>No.   | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks                       |
|----------------------------|--------------------------|-----------------|-------------------------|---------------|--------------|---------------|-----------------------|----------------|-------------------------------|
| 1K310-139                  | (1K310-139)              | 開放制限板           | LIMIT PLATE             | 1             | 2            |               | ○                     | 5              |                               |
| 1K314-459                  | (1K314-459)              | 3.1レバ -         | 3.1 LEVER               | 1             | 2            |               | ○                     | 5              |                               |
| * 1K404-157                | (1K404-157)              | バヨネット マウント      | BAYONET MOUNT           | 1             | 2            |               | ○                     | 5              |                               |
| 1K521-364                  | (1K521-364)              | 押え環             | RETAINER RING           | 1             | 1            |               | ○                     | 1              |                               |
| 1K521-365                  | (1K521-365)              | 押え環             | RETAINER RING           | 1             | 1            |               | ○                     | 1              |                               |
| 1K521-367                  | (1K521-367)              | 押え環             | RETAINER RING           | 1             | 1            | 1C999-195     | ○△                    | 1              |                               |
| 1K572-208                  | (1K572-208)              | 絞り羽根作動板         | BLADE ACUTUATING PLATE  | 1             | 1            |               | ○                     | 1              |                               |
| * 1K601-815                | (1K601-815)              | 押え板             | RETAINER PLATE          | 1             | 2            |               | ○                     | 5              |                               |
| * 1K601-816                | (1K601-816)              | 平板              | PLATE                   | 1             | 2            |               | ○                     | 5              |                               |
| * 1K601-817                | (1K601-817)              | 押え環             | RETAINER RING           | 1             | 2            | 1C999-197-1   | ○△                    | 5              |                               |
| 1K601-946                  | (1K601-946)              | 止め輪             | RETAINER RING           | 1             | 1            |               | ○                     | 5              |                               |
| 1K601-948                  | (1K601-948)              | 絞り連動板           | APERTURE COUPLING PLATE | 1             | 1            |               | ○                     | 5              |                               |
| 1K601-949                  | (1K601-949)              | 止め輪             | RETAINER RING           | 1             | 1            |               | ○                     | 5              |                               |
| 1K601-951                  | (1K601-951)              | ホコ隠し            | COVER                   | 1             | 2            |               | ○                     | 5              |                               |
| * 1K611-827-3              | (1K611-827-3)            | 接点ホルダ - (下)     | CONTACT HOLDER (L)      | 1             | 2            |               | ○                     | 5              |                               |
| * 1K631-279                | (1K631-279)              | 補強リング           | REINFORCE RING          | 1             | 2            |               | ○                     | 5              |                               |
| <del>△ * 1K631-282</del>   | <del>(1K631-282)</del>   | <del>MF 環</del> | <del>MF RING</del>      | <del>1</del>  | <del>2</del> |               | <del>○</del>          | <del>1</del>   | <del>Old</del> RP07026        |
| <del>△ * 1K631-282-1</del> | <del>(1K631-282-1)</del> | <del>MF 環</del> | <del>MF RING</del>      | <del>1</del>  | <del>2</del> |               | <del>○</del>          | <del>1</del>   | <del>New</del> RP0531 RP07026 |
| △ * 1K631-282-1N           | (1K631-282-1N)           | MF 環            | MF RING                 | 1             | 2            |               | ○                     | 1              | RP07026                       |

## Parts List

4F-S DX ED 12-24/4G IF

JAA78451-R.3596.A

| Part Number   | Part Code     | 名 称                      | Part Name                  | Pcs,<br>/Unit | fig<br>No. | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks             |
|---------------|---------------|--------------------------|----------------------------|---------------|------------|---------------|-----------------------|----------------|---------------------|
| 1K631-421     | (1K631-421)   | 外側固定筒 (S-N.)             | OUTER FIXED TUBE (S-N.)    | 1             | 2          |               | ○                     | 1              |                     |
| 1K631-422     | (1K631-422)   | 後部固定筒                    | REAR FIXED RING            | 1             | 2          |               | ○                     | 1              |                     |
| 1K631-423     | (1K631-423)   | 後部保護環                    | REAR COVER RING            | 1             | 2          |               | ○                     | 1              |                     |
| 1K631-427     | (1K631-427)   | λ <sup>+</sup> -Λ環       | ZOOM TUBE                  | 1             | 1          |               | ○                     | 1              | △RP07007 OLD        |
| △ 1K631-427-1 | (1K631-427-1) | λ <sup>+</sup> -Λ環       | ZOOM TUBE                  | 1             | 1          |               | ○                     | 1              | RP07007 NEW         |
| 1K631-431     | (1K631-431)   | 1郡摺動枠                    | 1st GROUP SLIDING RING     | 1             | 1          |               | ○                     | 1              | RP0636 OLD          |
| 1K631-431-2   | (1K631-431-2) | 1郡摺動枠                    | 1st GROUP SLIDING RING     | 1             | 1          |               | ○                     | 1              | RP0636 NEW          |
| 1K631-432     | (1K631-432)   | 丸環                       | TUBE                       | 1             | 2          |               | ○                     | 1              |                     |
| * 1K681-466-1 | (1K681-466-1) | 接点ホルダ <sup>+</sup> - (上) | CONTACT HOLDER (U)         | 1             | 2          |               | ○                     | 5              |                     |
| * 1K681-539   | (1K681-539)   | 接点カバー <sup>+</sup> -     | CONTACT COVER              | 1             | 2          |               | ○                     | 5              |                     |
| 1K999-295     | (1K999-295)   | 外側固定筒 (US S-N.)          | OUTER FIXED TUBE (US S-N.) | 1             | 2          |               | ○                     | 5              |                     |
| 1S020-376     | (1S020-376)   | メイン基板部組                  | MAIN PCB UNIT              | 1             | 2          |               | ○                     | 1              | RP06110<br>NoN RoHS |
| * 1K120-354   | (1K120-354)   | SCREW                    | SCREW                      | 3             | 1          |               | ○                     | 10             |                     |
| * A2-14025FC  | (A2-14025FC)  | SCREW                    | SCREW                      | 2             | 2          |               | ○                     | 10             |                     |
| * B1-14025FB  | (B1-14025FB)  | SCREW                    | SCREW                      | 4             | 1.2        |               | ○                     | 10             |                     |
| * B1-14030FA  | (B1-14030FA)  | SCREW                    | SCREW                      | 2             | 2          |               | ○                     | 10             |                     |
| * B1-17030FB  | (B1-17030FB)  | SCREW                    | SCREW                      | 1             | 2          |               | ○                     | 10             |                     |
| * B1-20040FA  | (B1-20040FA)  | SCREW                    | SCREW                      | 4             | 1          |               | ○                     | 10             |                     |
| * G1-17020FA  | (G1-17020FA)  | SCREW                    | SCREW                      | 1             | 2          |               | ○                     | 10             |                     |
| 1S020-395     | (1S020-395)   | メイン基板部組                  | MAIN PCB UNIT              | 1             | 2          |               | ○                     | 1              | RP06110<br>RoHS     |

## Parts List

***AF-S DX ED 12-24/4G IF***

**JAA78451-R.3596.A**

| Part Number  | Part Code     | 名 称           | Part Name        | Pcs,<br>/Unit | fig<br>No. | Main Assembly | Term<br>of<br>Deliver | Q'ty/<br>Order | Remarks         |
|--------------|---------------|---------------|------------------|---------------|------------|---------------|-----------------------|----------------|-----------------|
| * G1-17030FA | (G1-17030FA)  | SCREW         | SCREW            | 7             | 2          |               | ○                     | 10             |                 |
| 1K050-750    | (1K050-750)   | WASHER t=0.3  | WASHER t=0.3     | 1             | 1          |               | ○                     | 5              | RP0636          |
| 1K050-751    | (1K050-751)   | WASHER t=0.2  | WASHER t=0.2     | 1             | 1          |               | ○                     | 5              | RP0636          |
| 1K050-752    | (1K050-752)   | WASHER t=0.1  | WASHER t=0.1     | 1             | 1          |               | ○                     | 5              | RP0636          |
| 1K050-753    | (1K050-753)   | WASHER t=0.09 | WASHER t=0.09    | 1             | 1          |               | ○                     | 5              | RP0636          |
| 1K050-754    | (1K050-754)   | WASHER t=0.08 | WASHER t=0.08    | 1             | 1          |               | ○                     | 5              | RP0636          |
| 1K050-755    | (1K050-755)   | WASHER t=0.07 | WASHER t=0.07    | 1             | 1          |               | ○                     | 5              | RP0636          |
| 1K050-756    | (1K050-756)   | WASHER t=0.06 | WASHER t=0.06    | 1             | 1          |               | ○                     | 5              | RP0636          |
| 1K050-757    | (1K050-757)   | WASHER t=0.05 | WASHER t=0.05    | 1             | 1          |               | ○                     | 5              | RP0636          |
| * 1B060-766G | (1B060-766G)  | MR部組          | MR UNIT          | 1             | 2          |               | ○                     | 1              | RP06110<br>RoHS |
| 1B060-769G   | (1B060-769G)  | 接点FPC部組       | CONTACT FPC UNIT | 1             | 2          |               | ○                     | 1              | RP06110<br>RoHS |
| 1B060-798-1  | (1B060-798-1) | ｽﾞｰﾑFPC部組     | ZOOM FPC UNIT    | 1             | 2          | 1C999-193     | ○△                    | 1              | RP06110<br>RoHS |
| 1C999-193-1  | (1C999-193-1) | ｶﾑ環部組         | CAM RING UNIT    | 1             | 2          |               | ○                     | 1              | RP06110<br>RoHS |
| 1C999-197-2  | (1C999-197-2) | SWM部組         | SWM UNIT         | 1             | 2          |               | ○                     | 1              | RP06110<br>RoHS |

Change page (差し替え)  $\Delta \times 5$

NOV. 30, 2006