

作成承認印

配布許可印



AF-S Nikkor ED 500mm/f4D II IF

PARTS LIST

修理部品表

Nikon | NIKON CORPORATION
Tokyo, Japan

Copyright © 2001 by Nikon Corporation
All Rights Reserved.

無断転載を禁ず !!

Recycled paper
再生紙を使用しています




Fig. 1




Fig. 2




Fig. 3




Fig. 4

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs, /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* 1B002-144	(1B002-144)	ウェーブワッシャー部組	WAVE WASHER UNIT	1	2 D3			1	
* 1B002-214	(1B002-214)	三脚座部組	TRIPOD SOCKET UNIT	1	4 C			1	
* 1B002-215	(1B002-215)	一脚座部組	FOOT UNIT	1	4 C2			1	
* 1B060-629-1	(1B060-629)	接点FPC部組	CONNECT FPC UNIT	1	4 D3			1	
* 1B060-733	(1B060-733)	MRセンサー部組	MR SENSOR UNIT	1	2 C1			1	
* 1B060-740	(1B060-740)	SWM部組	SWM UNIT	1	3 C.D			1	
1B100-843	(1B100-843)	1. 5群レンズ部組	1.5 GROUP LENS HOUSING UNIT	1	1 C2			1	
* 1B300-029	(1B300-029)	絞りカム部組	APERTURE CAM UNIT	1	4 B1			1	
* 1B310-053	(1B310-053)	平レバー部組	FLAT LEVER UNIT	1	4 B1			1	
* 1B314-190	(1B314-190)	シーソーレバー部組	SEESAW LEVER UNIT	1	4 D1			1	
* 1B570-114	(1B570-114)	羽根部組	BLADE UNIT	9	4 A1			5	
* 1B574-072	(1B574-072)	蜂の巣部組	BLADE MOUNT UNIT	1	4 B1			1	
* 1C999-095	(1C999-095)	距離エンコーダ部組	FOCUS ENCODER UNIT	1	2 B.C	1C999-097-1		1	
* 1C999-096	(1C999-096)	距離ブラシ部組	FOCUS BRUSH UNIT	1	2 C2	1C999-097-1		1	
* 1C999-167	(1C999-167)	中継FPC部組	RELAY FPC UNIT	1	2			1	RP-0677 △Non RoHs
* 1C999-098	(1C999-098)	ブラシ部組	BRUSH UNIT	1	2 C2			1	
* 1C999-099	(1C999-099)	固定筒部組	FIXED TUBE UNIT	1	3 A.B			1	
1C999-355	(1C999-355)	ラグ板部組	PLATE UNIT	1	1 C3		○	10	RP-0522
△ 1C999-167-1	(1C999-167-1)	ロック環部組	ROCK RING UNIT	1	3 A.B			1	RP0677 RoHs

AF-S ED 500/4 D II									JAA52651-R.3545.A
Part Number	Part Code	名 称	Part Name	Pcs, /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* 1C999-100	(1C999-100)	MF環部組	MF RING UNIT	1	2 A.B			1	
* 1C999-101	(1C999-101)	ロック環部組	ROCK RING UNIT	1	3 A.B			1	
* 1C999-102-1	(1C999-102)	調整環部組	ADJUSTMENT RING UNIT	1	3 B.C			1	
* 1C999-103	(1C999-103)	ブラシ部組	BRUSH UNIT	1	3 B3			1	
* 1C999-104-2	(1C999-104)	ブラシ部組	BRUSH UNIT	1	3 B3			1	
* 1C999-108	(1C999-108)	DC／DCコンバータ部組	DC/DC CONVERTER UNIT	1	4 A1			1	
* 1C999-109	(1C999-109)	FPC部組	FPC UNIT	1	1 C3			1	
* 1C999-111	(1C999-111)	クランクノブ部組	CRANK KNOB UNIT	1	4 D2			1	
1C999-141	(1C999-141)	3群レンズ室部組	3RD LENS HOUSING UNIT	1	4 C.D			1	
1C999-142	(1C999-142)	SW部組	SW UNIT	1	3 D3			1	
* 1G024-022-2	(1G024-022)	G7. 8. 9レンズ部組	G7.8.9 LENS UNIT	1	2 B1			1	
1S999-139	(1S999-139)	メインFPC部組	MAIN FPC UNIT	1	1 B.C			1	RP-0677 △ Non RoHs
1G117-056	(1G117-056)	G2レンズ	G2 LENS	1	1 B1		○	1	
1G117-057	(1G117-057)	G3レンズ	G3 LENS	1	1 C1		○	1	
1G216-033	(1G216-033)	G4レンズ	G4 LENS	1	1 A2		○	1	
* 1G713-022	(1G713-022)	G1平面ガラス	G1 FLAT LENS	1	1 A1		○	1	
1K001-150	(1K001-150)	SCREW	SCREW	8	4 C2		○	5	
△ 1S999-139-1	(1S999-139-1)	メインFPC部組	MAIN FPC UNIT	1	1 B.C			1	RP0677 RoHs

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs. /Unit	Fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* 1K001-160	(1K001-160)	SCREW	SCREW	1	4 A2		○	1	
* 1K001-165	(1K001-165)	SCREW	SCREW	0-2	4 A2		○	1	
* 1K001-166	(1K001-166)	SCREW	SCREW	0-2	4 A2		○	1	
* 1K010-238	(1K010-238)	SCREW	SCREW	2	4 A2		○	1	
* 1K063-037	(1K063-037)	ワッシャー T=0. 1	WASHER T=0.1	0-1	3 B1		○	1	
* 1K063-038	(1K063-038)	ワッシャー T=0. 2	WASHER T=0.2	0-1	3 B1		○	1	
* 1K063-039	(1K063-039)	ワッシャー T=0. 5	WASHER T=0.5	0-1	3 B1		○	1	
1K087-512	(1K087-512)	銘板	FRONT COVER	1	3 C3		○	1	S/N刻印
* 1K100-031	(1K100-031)	吊り環	EYELET	2	4 D2		○	1	
* 1K110-037	(1K110-037)	ゴム	RUBBER	2	4 D2		○	1	
* 1K110-548	(1K110-548)	ゴムリング	RUBBER RING	1	2 B3		○	1	
* 1K110-551	(1K110-551)	防適ゴム	RUBBER	1	4 A.B		○	1	
1K110-562	(1K110-562)	目盛りシール	INDEX SEAL	1	3 B2		○	1	
1K110-563	(1K110-563)	ゴムリング	RUBBER RING	1	1 B3		○	1	
1K110-564	(1K110-564)	ゴムリング	RUBBER RING	1	1 C2		○	1	
1K110-565	(1K110-565)	ゴムリング	RUBBER RING	1	2 C3		○	1	
* 1K117-691	(1K117-691)	ゴムリング	RUBBER RING	1	1 C.D		○	1	

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs. /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
1K118-105-1	(1K118-105-1)	テープ	TAPE	2	2 C2		○	1	
* 1K118-295	(1K118-295)	シート	SHEET	1	3 B3		○	1	
* 1K118-518	(1K118-518)	カプトンテープ	TAPE	2	3 B3		○	1	
* 1K119-434	(1K119-434)	窓	WINDOW	1	3 C3		○	1	
1K119-487	(1K119-487)	三脚ネジ	TRIPOD SCREW	4	4 C3	1C999-097-1	○△	1	
* 1K119-489	(1K119-489)	テフロンシート T=0. 4	SHEET T=0.4	0-2	4 B.D		○	1	
* 1K119-494	(1K119-494)	テフロンシート T=0. 3	SHEET T=0.3	0-1	4 D2		○	1	
* 1K119-495	(1K119-495)	テフロンシート T=0. 5	SHEET T=0.5	0-1	4 D2		○	1	
* 1K119-498	(1K119-498)	ゴムテープ	RUBBER TAPE	1	4 A3		○	1	
* 1K120-012	(1K120-012)	SCREW	SCREW	1	4 D3		○	1	
* 1K120-019	(1K120-019)	SCREW	SCREW	4	4 D3		○	5	
* 1K120-036-1	(1K120-036)	SCREW	SCREW	2	4 B1		○	1	
* 1K120-164	(1K120-164)	SCREW	SCREW	3	4 A.B		○	5	
* 1K120-218	(1K120-218)	SCREW	SCREW	12	3 C3		○	5	
* 1K120-219	(1K120-219)	SCREW	SCREW	2	4 C3		○	1	
* 1K120-231-1	(1K120-231)	SCREW	SCREW	2	4 A1		○	1	
* 1K120-300	(1K120-300)	SCREW	SCREW	4	3 D3		○	5	

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs. /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* 1K120-417-2	(1K120-417-2)	SCREW	SCREW	3	3 D2		○	5	
* 1K120-472	(1K120-472)	SCREW	SCREW	4	4 D3		○	5	
* 1K120-473	(1K120-473)	SCREW	SCREW	1	4 D3		○	1	
* 1K120-475	(1K120-475)	銘板ビス	NAME PLATE SCREW	4	3 C3		○	5	
* 1K130-095-1	(1K130-095-1)	SCREW	SCREW	1	4 B1		○	1	
* 1K130-304-1	(1K130-304)	SCREW	SCREW	1	4 D1		○	1	
* 1K133-007	(1K133-007)	SCREW	SCREW	1	4 B1		○	1	
* 1K161-424	(1K161-424)	矢車押さえ板	APERTURE ACTION RETAINER PLATE	1	4 B1		○	1	
* 1K161-426	(1K161-426)	ワッシャー	WASHER	1	2 D2		○	1	
* 1K161-427	(1K161-427)	ワッシャー T=0. 05	WASHER T=0.05	0-1	2 D2		○	1	
* 1K161-428	(1K161-428)	ワッシャー T=0. 06	WASHER T=0.06	0-1	2 D2		○	1	
* 1K161-429	(1K161-429)	ワッシャー T=0. 07	WASHER T=0.07	0-1	2 D2		○	1	
* 1K161-430	(1K161-430)	ワッシャー T=0. 08	WASHER T=0.08	0-1	2 D2		○	1	
* 1K161-431	(1K161-431)	ワッシャー T=0. 09	WASHER T=0.09	0-1	2 D2		○	1	
* 1K161-432	(1K161-432)	ワッシャー T=0. 1	WASHER T=0.1	0-1	2 D2		○	1	
* 1K161-433	(1K161-433)	ワッシャー T=0. 03	WASHER T=0.03	0-1	2 D2		○	1	
* 1K161-617	(1K161-617)	ワッシャー T=0. 05	WASHER T=0.05	0-1	2 B1		○	1	

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs, /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* 1K161-618	(1K161-618)	ワッシャー T=0. 06	WASHER T=0.06	0-1	2 B1		○	1	
* 1K161-619	(1K161-619)	ワッシャー T=0. 07	WASHER T=0.07	0-1	2 B1		○	1	
* 1K161-620	(1K161-620)	ワッシャー T=0. 08	WASHER T=0.08	0-1	2 B1		○	1	
* 1K161-621	(1K161-621)	ワッシャー T=0. 09	WASHER T=0.09	0-1	2 B1		○	1	
* 1K161-622	(1K161-622)	ワッシャー T=0. 1	WASHER T=0.1	0-1	2 B1		○	1	
* 1K161-623	(1K161-623)	ワッシャー T=0. 2	WASHER T=0.2	0-1	2 B1		○	1	
* 1K161-624	(1K161-624)	ワッシャー T=0. 3	WASHER T=0.3	0-1	2 B1		○	5	
* 1K208-180	(1K208-180)	AFロックゴム	AF LOCK RUBBER	4	1 C3		○	1	
* 1K208-238	(1K208-238)	バネ	SPRING	1	4 A1		○	1	
* 1K225-116	(1K225-116)	バネ	SPRING	1	4 B1		○	1	
* 1K233-096	(1K233-096)	SWMガタ取りバネ	SWM FIXED SPRING	1	3 B2		○	1	
* 1K240-339	(1K240-339)	絞りクリック板バネ T=0. 2	APERTURE CLICK PLATE SPRING	0-1	4 A2		○	1	
* 1K240-942	(1K240-942)	バネ	SPRING	1	4 A1		○	1	
* 1K241-038	(1K241-038)	絞りクリック板バネ T=0. 13	APERTURE CLICK PLATE SPRING	0-1	4 A2		○	1	
* 1K241-039	(1K241-039)	絞りクリック板バネ T=0. 15	APERTURE CLICK PLATE SPRING	0-1	4 A2		○	1	
* 1K246-116	(1K246-116)	ウェーブワッシャー	WAVE WASHER	1	3 C1		○	1	
* 1K314-471	(1K314-471)	絞り連動レバー	APERTURE COUPLING LEVER	1	4 C3		○	1	

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs. /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* 1K404-112-2	(1K404-112)	バヨネットマウント	BAYONET MOUNT	1	4 D3		○	1	
1K501-041	(1K501-041)	G1-G4レンズ室	G1-G4 LENS HOUSING	1	1 D1		○	1	
* 1K521-212	(1K521-212)	G1押さえ環	G1 RETAINER RING	1	1 A1		○	1	
* 1K521-283	(1K521-283)	G7-G9押さえ環	G7-G9 RETAINER RING	1	2 B1		○	1	
1K521-343	(1K521-343)	G2押さえ環	G2 RETAINER RING	1	1 B1		○	1	
1K521-344	(1K521-344)	G4押さえ環	G4 RETAINER RING	1	1 B2		○	1	
1K521-345	(1K521-345)	G3押さえ環	G3 RETAINER RING	1	1 C1		○	1	
* 1K572-178	(1K572-178)	矢車	APERTURE ACTION PLATE	1	4 A1		○	1	
1K576-144	(1K576-144)	固定絞り板	FIXED APERTURE PLATE	1	4 B2		○	1	
* 1K600-764	(1K600-764)	圧接ゴム	PRESS CONTACT RUBBER	2	4 A2		○	1	
* 1K601-174-1	(1K601-174)	圧接押さえ板	PRESS CONTACT RETAINER PLATE	1	4 A2		○	1	
1K601-734	(1K601-734)	曲げ板	BENT PLATE	2	4 D2		○	1	
* 1K601-737	(1K601-737)	フィルター保持板	FILTER HOLDER PLATE	1	4 B2		○	1	
* 1K612-052	(1K612-052)	連動キー	COUPLING KEY	1	2 C2	1C999-097-1	○△	1	
* 1K612-058	(1K612-058)	FPC押さえ環	FPC RETAINER RING	1	3 C1		○	1	
* 1K630-926	(1K630-926)	固定絞り	FIXED APERTURE	1	4 D1		○	1	
* 1K631-138	(1K631-138)	AFロック環	AF LOCK RING	1	1 D3		○	1	

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs. /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
1K631-153	(1K631-153)	曲げ板	BENT PLATE	2	4 D2		○	1	
* 1K631-162	(1K631-162)	三脚座押さえ板	TRIPOD RETAINER PLATE	1	4 A3		○	1	
1K631-195	(1K631-195)	社名環	NAME RING	1	3 C3		○	1	
1K631-196	(1K631-196)	丸環	RING	1	4 A2		○	1	
1K631-197	(1K631-197)	実装環	TUBE	1	1 A3		○	1	
1K631-198	(1K631-198)	三脚座リング	TRIPOD SCREW MOUNT RING	1	4 D2		○	1	
1K631-202	(1K631-202)	絞り環	DIAPHRAGM RING	1	4 C3		○	1	
1K631-204	(1K631-204)	丸環	RING	1	4 A3		○	1	
1K631-205	(1K631-205)	金リング	GOLD RING	1	1 A2		○	1	
1K631-206	(1K631-206)	ゴムシート	RUBBER SHEET	1	2 B.C		○	1	
* 1K640-672-1	(1K640-672-1)	2幅溝コマ	PIECE	1	4 D3		○	1	
* 1K641-333	(1K641-333)	羽根室	BLADE HOUSING	1	4 A1		○	1	
* 1K641-335	(1K641-335)	ローラー	ROLLER	3	3 D2		○	5	
* 1K641-337	(1K641-337)	丸環	RING	1	4 C1		○	1	
* 1K680-832	(1K680-832)	EEロック環保護コマ	EE LOCK RING PIECE	1	4 A1		○	1	
* 1K681-449-1	(1K681-449)	3. 1レバー保護コマ	3.1 LEVER PIECE	1	4 C3		○	1	
* 1K681-457	(1K681-457)	コマ	PIECE	1	4 D3		○	1	

AF-S ED 500/4 D II

JAA52651-R.3545.A

Part Number	Part Code	名 称	Part Name	Pcs. /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* 1K681-458	(1K681-458)	fmm信号コマ	fmm SIGNAL BARVC	1	4 D3		○	1	
* 1K681-461-1	(1K681-461)	カバーシート	COVER SHEET	1	4 D1		○	1	
* 1K681-464-1	(1K681-464-1)	圧接モールド	PLESS CONTACT MOLD	1	4 A2		○	1	
* 1S705-555	(1S705-555)	FL中継FPC	FL RELAY FPC	1	1 B3		○	1	
* 1S811-993	(1S811-993)	押さえ電線	RETAINER WIRE	1	1 B2		○	1	
* A1-17025FB	(A1-14025FB)	SCREW	SCREW	1	4 A1		○	5	
* A1-17030FA	(A1-17030FA)	SCREW	SCREW	2	2 C2		○	5	
* A1-17035FD	(A1-17035FD)	SCREW	SCREW	1	4 D2		○	5	
* A1-17040FA	(A1-17040FA)	SCREW	SCREW	3	2 C1	1C999-097-1	○△	5	
* A2-14025FC	(A2-14025FC)	SCREW	SCREW	4	4 D3		○	5	
* A2-17030FB	(A2-17030FB)	SCREW	SCREW	2	4 D1		○	5	
B1-17016FD	(B1-17016FD)	SCREW	SCREW	1	1 C3		○	5	
B1-17020FD	(B1-17020FD)	SCREW	SCREW	2	1 C3		○	5	
* B1-17025FD	(B1-17025FD)	SCREW	SCREW	2	4 A1		○	5	
* B1-17030FD	(B1-17030FD)	SCREW	SCREW	13	1.2.4.	1C999-097-1	○△	5	
* B1-17035FA	(B1-17035FA)	SCREW	SCREW	2	2 C2	1C999-097-1	○△	5	
* B1-17045FA	(B1-17045FA)	SCREW	SCREW	4	3 B3		○	5	

AF-S ED 500/4 D II									JAA52651-R.3545.A
Part Number	Part Code	名 称	Part Name	Pcs, /Unit	fig No.	Main Assembly	Term of Deliver	Q'ty/ Order	Remarks
* B1-17045FD	(B1-17045FD)	S C R E W	SCREW	3	4 A2		○	5	
* B1-17050FD	(B1-17050FD)	S C R E W	SCREW	15	1. 4		○	5	
* B1-20035FD	(B1-20035FD)	S C R E W	SCREW	3	4 A3		○	5	
* B1-20040FD	(B1-20040FD)	S C R E W	SCREW	6	3 D3		○	5	
* B1-20055FD	(B1-20055FD)	S C R E W	SCREW	6	4 A. B		○	5	
* B2-14020FB	(B2-14020FB)	S C R E W	SCREW	2	2 C1		○	5	
* B2-17035FA	(B2-17035FA)	S C R E W	SCREW	1	2 C2		○	5	
* K2-17020FA	(K2-17020FA)	S C R E W	SCREW	3	3 A1		○	5	
* K2-17020FD	(K2-17020FD)	三脚ブッシュ止めネジ	STOPPER SCREW	12	4C	1C999-097-1	○△	5	
* K2-17025FD	(K2-17025FD)	S C R E W	SCREW	2	2. 4.		○	5	
* K2-20025FD	(K2-20025FD)	S C R E W	SCREW	3	4 A2		○	5	
* K2-20030FD	(K2-20030FD)	S C R E W	SCREW	4	1 D3		○	5	
* M1-03010FD	(M1-03010FD)	六角ボルト	BOLT	8	4 C2. 3		○	5	
* R1-02000FD	(R1-02000FD)	E E ロック補正ワッシャー	WASHER	1	4 A. B		○	5	
△ 1C999-141-1	(1C999-141-1)	3群レンズ室部組 RoHs	3RD LENS HOUSING UNIT RoHs	1	4 C, D			1	RP0656 RoHs
△ 1G024-029	(1G024-029)	G7, 8, 9レンズ部組 RoHs	G7,8,9 LENS UNIT RoHs	1	2 B1			1	RP0656 RoHs
△ 1G117-059	(1G117-059)	G2 レンズ RoHs	G2 LENS RoHs	1	1 B1		○	1	RP0656 RoHs
△ 1G117-060	(1G117-060)	G3レンズ RoHs	G3 LENS RoHs	1	1 C1		○	1	RP0656 RoHs
△ 1G713-022-1	(1G713-022-1)	G1平面ガラス RoHs	G1 FALT LENS RoHs	1	1 A1		○	1	RP0656 RoHs